"I intend moving the Hon'ble High Court of Mysore to enrol me as an Advocate thereof."

D. SREENIVASAIAH, B.Sc., LL.B.

"One month after date I intend to move the High Court of Mysore, Bangalore, to enrol me as an Advocate."

M. V. SRINIVASA IYENGAR.

MYSORE GOVERNMENT LIFE INSURANCE DEPARTMENT

(PUBLIC BRANCH.)

Application having been received for the issue of a duplicate of Policy No. 7870—C. 6394 on the life of M. S. Sripada Raja Rao, son of M. R. Seshagiri Rao, it is hereby notified that the duplicate will be issued unless valid objections therefor are received by the undersigned within one month from this date.

BANGALORE.
Dated 6th June 1939.

M. VIRARAJA URS,
Secretary.

"Please take notice that I, Venkatamuni Subba Setty, sometimes also addressed as Munivenkata Subba Setty, have changed my name to K. Nagaraja Setty."

ವೆಂಕಟಮುನಿಸುಬ್ಬ ಶೆಟ್ಟಿ,
1542, *Sree Rampet, Mysore.*

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 33265-74, *dated* 13*th June* 1939.

To

The Firms dealing in Hospital Bed Steads.

Enquiry No. 3485.

HOSPITAL BED STEADS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Hospital Bed Steads" with the above enquiry Number.

This enquiry will be closed on the 29th June 1939.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Lawsontate pattern Hospital Bed-Steads $6\frac{1}{2}' \times 3'$ with $1\frac{1}{2}''$ pipe in sides, curved angles and ends, having 18 springs on both sides and a star support in the centre and with $1\frac{1}{4}''$ castors and rubber knobs painted in white enamel	80	*Bangalore.*	

No. S. P. C. 33408-22 dated 15*th June* 1939.

To

The Firms dealing in Water Meters.

Enquiry No. 3490.

WATER METER DIALS.

GENTLEMEN,

One thousand (1,000) Water Meter Dials similar to the Dial of Messrs. Siemens Schuckert No. 58 suitable for Siemens Halske Protos, Vane, Wheel Valve type Water Meters are required by us. The

dials should be exact to the measurements given in the drawing No. 2560 which can be had from the undersigned on application. We should be glad to know whether you are interested in the enquiry. If so, your best prices and the earliest time of delivery for the same may kindly be stated.

Your quotation should reach this office on or before the 9th July 1939.

The prices to be quoted should be for delivery f.o.r., Bangalore.

The quotations should be superscribed "Quotations for Water Meter Dials" with the above enquiry Number.

No. S. P. C. 33459-73, dated 16th June 1939.

To

The Firms dealing in Flood Lights.

Enquiry No. 3491.

FLOOD LIGHTING PROJECTORS FOR MYSORE.

GENTLEMEN,

I write to request you to quote your best price and the earliest time of delivery for the following materials :—

24—Flood-lighting Projectors, totally enclosed, ventilated and weather-proof, suitable for taking 750 to 1,000 watts. M.F.G.E.S. general service lamps with wide-angle composite stippled reflector and a cover provided with a heat-resisting convex lens, complete.

The above projectors shall be made of a single piece sheet-metal casing and cover which shall be provided with suitable clamping devices. The reflector shall be supported by clamps provided with asbestos cushions to prevent its breakage and the lens shall withstand the variations of temperature between 32° F. to 212° F.

The projectors shall be mounted on a trunnion bracket and supported by an adjustable pedestal type base. The fixture for the socket and lamp shall be provided with a suitable mechanism to facilitate its adjustment for focussing purposes and the projectors shall be suitable for a working range of 200 feet.

The quotations shall be accompanied with fully descriptive literature and illustrations and photographs of the flood-lighting projectors offered without which no quotation will be considered.

The price to be quoted should be for delivery c.i.f., Madras.

As the flood lights are required at Mysore before 15th September 1939, the time of delivery will be an important factor in the decision of the tenders.

This enquiry will close on the 20th July 1939.

No. S. P. C. 33449-58, dated 19th June 1939.

To

The Firms dealing in Water Meters.

Enquiry No. 3492.

SPARE PARTS FOR TYLOR'S WATER METERS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials prescribed in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Spare parts for Tylor's Water Meters" with the above enquiry Number.

This enquiry will be closed on the 10th July 1939.

Schedule.

Serial No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Part No.		*Mysore*	
1	M. 12. Fan and Spindle for $1\frac{1}{2}''$	6		
2	Do do $\frac{3}{4}''$	25		
3	Do do $\frac{1}{2}''$	25		

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
4	M. 13. Dial glass with brass rim 5″ to 6″	3		
5	Do do 2″ to 4″	12		
6	Do do 1½″ to ½″ ..	170		
7	M. 11 Toe piece and plate 1½″	6		
8	Do do ¾″	12		
9	M. 23. Pump wheel and pinion 2½″	3		
10	Do. do 1½″	6		
11	Do do ¾″	25		
12	Do do ½″	25		
13	M. 24. Intermediate wheel and pinion 1½″ ..	6		
14	Do do ¾″ ..	12		
15	Do do ½″ ..	12		
16	M. 25. Leading wheel and worm. 4″	3		
17	Do do 3″	3		
18	Do do 2½″	3		
19	Do do 2″	3		
20	Do do ¾″	25		
21	Do do 1½″	12		
22	M. 26. Worm for Fan and Spindle. 4″	3		
23	Do do 1½″	12		
24	Do do ¾″	25		
25	Do do ½″	25		
26	M. 32. Dial Hands. ¾″ and ½″	2 Doz.		
27	M. 35. Bracket screws. ¾″ and ½″	2 ,,		
28	M. 36. Centre screws with heads ¾″ and ½″ ..	2 ,,		

No. S. P. C. 33434-48, *dated* 19*th June* 1939.

To

The Firms dealing in Wooden Casks.

Enquiry No. 3493.

CEDAR WOOD CASKS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Cedar Wood Casks" with the above enquiry Number.

This enquiry will be closed on the 1st July 1939.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Casks of 65 gallons capacity, made of well-matured and fully seasoned *White Cedar Wood* with staves of one inch thickness for the body and 1¼″ thick planks for the lids. The casks should be strongly bound with six iron hoops of varying thickness, two in the ends of 2¼″ width, two in the middle of 1¾″ and the remaining two (one on each side of the middle hoops) should be of two inches ..	50	*Mandya*	

Conditions of Contract.

(1) The casks should be manufactured according to the above specification out of well-seasoned Cedar Wood, should be sound and free from flaws, crevices or holes. They should be strong enough to withstand rough handling in transit. Should any of the casks be found defective or otherwise unserviceable for transportation of liquor, they will be rejected requiring him to replace them by sound and correct ones according to the specification free of all additional cost to Government.

(2) The soundness of the casks should be guaranteed for one year during which period the defects if any due to either bad materials used or workmanship will have to be rectified by him at his cost. The decision of the Department on this point should be binding on him.

(3) The casks will be subject to inspection by the Officers of the Excise Department deputed by the Excise Commissioner for the purpose at Mandya and such of the casks as are found on inspection to be defective either due to bad workmanship or due to the use of defective materials will be rejected and he should replace them by sound ones according to the specifications.

No. S. P. C. 33475-84, *dated* 16*th June* 1939.

To

The Firms dealing in Steel Racks.

Enquiry No. 3494.

STEEL RACKS REQUIRED FOR THE NEW RAILWAY CENTRAL OFFICES.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Record Racks" required for the Railway Offices" with the above enquiry Number.

This enquiry will be closed on the 7th July 1939.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Steel Record racks 18″ deep and 15′ high with a gallery all round and racks complete with doors and locking arrangements including ladder and gallery	1 length of 21 R.ft.	*To be fitted up at the Railway Central Offices, Mysore.*	
2	Steel record racks complete as above but without doors and locking arrangements	*(*a*) 2 lengths of 28 R.ft. each. 6 lengths of 25 R.ft. each. 1 length of 24′–10½″. †(*b*) 1 length of 52′–9″.		
3	Steel record racks complete as per item 2 above, but with 2′ deep racks	11 lengths of 25′ each, 1 length of 18′.		
4	Steel record racks complete as per item (1) above but with racks 30″ deep	1 length of 25′.		

Note—Particulars of steel plates and angle iron used should be specified in your quotation.

* (*a*) In each of these 2 lengths, there will be one door 5′×10′ and one window 4½′×7′.

† (*b*) In this length there are 3 doors 4½′×8½′ each and one window 4′×6′.

The above racks should conform to the specifications.

SPECIFICATION FOR STEEL RECORD RACKS REQUIRED FOR THE NEW RAILWAY CENTRAL OFFICES, MYSORE.

(1) The General type of the steel record racks required is as shown in drawing No. 22—38-39 S. W. which gives an idea of what is required. All material used should be of first class steel. If steel made in Mysore Iron and Steel Works (Bhadravati), is used in some of the component parts of these shelves, it would be a welcome proposition.

(2) A portion of the installation is to be equipped with arrangement for storage under lock and key as specified in the schedule.

(3) There shall be nine horizontal shelves provided in the height, *viz.*, 15 feet. The verticals will be provided with holes drilled at about 5″ to 6″ centres so as to make the shelves adjustable every 5″ to 6″.

(4) Storage shelves will be provided horizontally all along the walls over door ways and over and below the window openings for portions noted as such in the schedule.

(5) A continuous gallery of steel must be provided for the installation at a suitable height of say 7′-6″. The Gallery floor should be 2 feet in width and should have suitable steel railing. Gallery stairs to be of first class pressed steel plates and to be provided with hand railing of steel to harmonise with gallery railing.

(6) The installation must stand without taking any support from the wall. No holes will be allowed to be dug in the wall or floor or ceiling for the purpose of installation.

(7) All components must be interchangeable and capable of easy assembly.

(8) All bolts and nuts to be used in the installation must be of steel and the threading of the screws and the facings of the nuts should be perfectly cut.

(9) The steel sheets to be used in the manufacture of shelves must be rolled cold under machine rollers and straightened to a perfectly planed level. No wavy appearance in the surface should be noticeable. The side reinforcements of the shelf should be machine pressed.

(10) All metal of shelves, verticals and other components must be thoroughly cleaned by pickling them in acid tanks and rubbing them under buffing machine for perfect removal of scale or rust to make it bright. It must then be sprayed with non-corrosive under coating and with best Olive Green paint and then baked in oven for securing hard bright surface. If there is any process used for protecting the material like stove enamelling, it may be clearly explained and mentioned.

(11) The rate quoted by you should include supply and erection of the installation, in the New Railway Central Offices Building, Mysore, at places shown.

(12) The tenderers should send their designs, with plans of the installation and also give full details as to construction, sizes and sections of the metal parts proposed to be used, giving load calculations of the installation itself as well as of the load it can sustain, and also state the time required for completion of the work.

(13) The rooms where the steel shelves have to be located are open for inspection on working days and tenderers should attach a certificate to the effect that their representatives have examined the conditions and the rooms by personal inspection.

(14) The Administration reserves the right to divide the work between one or more tenderers as it deems fit.

(15) Further particulars required if any may be got from the District Engineer, Mysore State Railway, Mysore.

(16) In case of disputes as to whether the material is in accordance with the specification or as to the manner of performance of contract, the decision of the Stores Purchase Committee will be final.

No. S. P. C. 33566-75, *dated* 16*th June* 1939.

To

The Firms dealing in Teakwood Remittance Boxes.

Enquiry No. 3495.

TEAKWOOD REMITTANCE BOX.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Teakwood Remittance Box" with the above enquiry Number.

This enquiry will be closed on the 26th June 1939.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1.	Teakwood Remittance Boxes as per sample which will be available for inspection at this office during office hours	52	*Mandya*	

Yours faithfully,

T. RANGASWAMI,

Secretary,

Stores Purchase Committee.

STATEMENT OF ORDERS PLACED BY THE STORES PURCHASE COMMITTEE, GOVERNMENT OF MYSORE, BANGALORE, BOTH IN INDIA AND IN FOREIGN COUNTRIES DURING THE WEEK ENDING SATURDAY THE 3RD JUNE 1939.

Indent & Enquiry No.	Description of materials	Quantity	Name of the Firm	Value of the order
Local.			Messrs:—	Rs. a. p.
4946	Dyes and Dye stuffs	1 Lot	Imperial Chemical Industries (India) Limited, Madras.	1,674 9 6 f.o.r., Bangalore.
4947	Microscopes, Zeiss "EOC"	One	Rajdevkan & Co., Bombay	417 0 0 do
3418	Microscope, Leitz	One	T. Ramachandra Rao, Bangalore City.	215 8 0 do
4948	Materials, electrical and cables	Lot	Callenders Cable & Construction Co., Ltd., Madras.	1,205 0 0 f.o.r., Mysore
3225 4950	Machine Motor Drilling "Herbert" type 'O' single spindle patent Ball bearing mounted on column arranged for belt drive.—Drills up to, in mild steel ¾" stroke of spindle 5"—Centre of spindle to column 7½"—Spindle to Table maximum 33½"—Hole in spindle, Morse Taper No. 2.	One	Alfred Herbert (India) Ltd., Calcutta.	755 0 0
3404	Motor A. E. G., 1 H. P. 1,425 r.p.m. squirrel cage drip-proof, together with AEG direct on starter and pulley for operation on 220 volts 3 phase 25 cycles, A. C. supply.	One	Do do	132 0 0
	Lathe 6½"×6' all geared head sliding surfacing and screw cutting Vee led gap with front feed shaft arranged for single pulley drive from line shaft.	One	Do do	2,550 0 0
	Motor A. E. G., 1½ H. P. 705 r.p.m. squirrel cage drip-proof together with AEG direct on starter and pulleys for operation on 220 volts 3 phase, 25 cycles, A. C. supply.	One	Do do	153 0 0
	Tools, small	4 Sets	Abdul Shukoor & Co., Bangalore.	253 10 0 lot.
4952	Water Baths, copper sheet 20"×12"×7".	15 Nos.	The Mysore Scientific Instruments Syndicate, Bangalore.	47 8 0 free delivery at the Sri Krishnarajendra Silver Jubilee Technological Institute.
	Water baths, with steam coil and unions in addition to electrical equipment.	5 Nos.	Do do	52 8 0 each, do
4953	Rack, steel 8·3"×6' wide made into 2 sections and bolted together with 8 shelves of 36"×8" in each including top and bottom.	3 Nos.	The Mysore Metal Industries, Bangalore.	80 0 0 each, free delivery at the Office of the Inspector-General of Police, Bangalore.
	Almirah, steel shelving 6'—3" high 36" wide ×18" deep fitted with 6 shelves.	2 Nos.	P. Orr & Sons, Ltd., Madras	92 8 0 each, do
4840	Turn Buckles galvanized 12"×⅝" with eyes on both sides with a mechanical strength of not less than 12,000 lbs.	2,811 Nos	K. D. Gangooly & Co., Calcutta	4,471 8 0
3207 *Foreign.* 2575				
Extn.	Cable, single conductor, insulated for 600 volts, size 7/12 SWG.	3,000 Ft.	The International General Electric Co., Ltd., London.	$71·50 per 1,000 Ft. c.i.f. Madras.
	Do 7/14"	3,000 Ft.	Do do	$ 52·80 do
	Do 7/16"	3,000 Ft.	Do do	$ 42·90 do
	Do 19/16"	2,000 Ft.	Do do	$ 75·90 do
	Cable, single conductor insulated for 6,000 volts, size 7/19" SWG	5,000 Ft.	The United States Steel Products Co., New York.	$ 61·00 do
	Do 7/22" SWG	5,000 Ft.	Do do	$ 52·00 do

STATEMENT OF ORDERS PLACED DURING THE WEEK ENDING SATURDAY THE 10TH JUNE 1939.

Local	Electrodes 10 gauge, each 18" long	2,000 Nos.	Wilson & Co., Madras	37 0 0/1,000 Ft., f.o.r., Madras.
4954	Do 8 gauge do	2,000 ,,	Do	44 10 0 do
	Rods each 18" long No. 10 welding electrodes.	2,000 ,,	The Associated Electrical Industries (India) Ltd., Bangalore City.	50 10 0 do
	Rods each 18" long No. 8 welding electrodes.	2,000 ,,	Do do	59 13 6 do
	Electrodes Arc welding No. 10 gauge type W. 20 G. E.	2,000 ,,	International General Electric Co., (India) Ltd., Bangalore City.	21 14 0 do
	Electrodes Arc welding No. 8 gauge type W. 20 G. E.	2,000 ,,	Do do	26 14 0 do

Indent & Enquiry No.	Description of materials	Quantity	Name of the Firm	Value of the order
Local.			Messrs :—	Rs. a. p.
4955	Motor, electric, A. E. G. special squirrel cage, induction type of 3 H. P. at 705 r.p.m. with pulley and starter.	One	The Modern Electric House, Bangalore.	152 8 0 f.o.r., Shimoga Railway Station.
4956	Toys	2 boxes of 25 each.	The Mysore Toys Co., Mysore.	87 8 0 each, free delivery at District Educational Officer's Office, Mysore.
4946				
Extn.	Dye stuffs	Lot	Chemdyes Ltd., Madras ..	179 9 6 f.o.r, Bangalore
4757				
Extn.	Lime of quality No. 1 for spraying purposes, packed in air-tight kerosene tins each containing 32 lbs. net.	200 tins	Habib Sait & Son, Birur ..	0 11 6 a tin, free delivery at Koppa Depot.
Foreign.				
2827	Cutouts, Disc, film No. 4815920 G. 2 G. E. 9/16″ Brown colour for use with street service lamps 5·5 amp. 40 to 250 c.p.	50,000	International General Electric Co., (India) Ltd., Bangalore.	$ 1465·00 the lot, f.a.s., New York.
	Cutouts, film, E. M. series Cat. No. K 77, 11/16″ dia. having a minimum voltage rating of 100 and a maximum productive value of 250 volts.	10,000	Kilburn & Co., Calcutta ..	$ 282·00 the lot, c.i.f., Madras

T. RANGASWAMI,
Secretary,
Stores Purchase Committee.